

Threaded Rod by Mockbee

A threaded rod is a metal straight rod with threads running along the entire length. Projects often require securing two items together, such as connecting overhead air conditioning ducts or affixing lighting fixtures to ceilings. Common projects require a fastener with the right length and rigidity to perform the job correctly. Single-end and double-end threaded rods are also good alternative options for use in similar applications.

Threaded rod, also referred to as a headless fastener, can be used with standard nuts and washers and may be used in standard stock lengths or cut to the length required.

We offer a wide selection of materials, finishes, threads and sizes of threaded rod and threaded studs.

- **Diameters:** 1/4" to 2"
- **Lengths:** 1' to 12' Note: we cut to order on all lengths
- **Tube Quantities:** 1 to 50 depending on diameter
- **Materials:** Low Carbon Steel, T304 Stainless, T316 Stainless, ASTM A 193 B7, F1554 Grade 55, Brass, Aluminum, Copper
- **Finishes:** Plain/Oil, Clear Zinc Plated, Yellow Zinc Plated, Hot-Dip Galvanized, Black Oxide
- **Threads:** Coarse (right & left hand), Fine (right and left hand), Metric, ACME
- **Applications:** Home and farm repairs, DIY building projects, Automotive industry, Hanger rod for HVAC, Overhead Fixture installation, Fabricating trades, Manufacturing and production fields



Stocked Diameters (D)	Stocked Lengths (L)	Tube Quantities	Weight Lbs/Ft
1/4"-20	6', 12'	50	0.119
5/16"-18	6', 12'	35	0.193
3/8" - 16	6', 12'	25	0.284
7/16" - 14	6', 12'	17	0.392
1/2" - 13	6', 12'	12	0.52
9/16" - 12	6', 12'	10	0.666
5/8" - 11	6', 12'	8	0.826
3/4" - 10	6', 12'	5	1.214
7/8" - 9	6', 12'	4	1.672
1" - 8	6', 12'	2	2.199
1-1/8" - 7	6', 12'	1	2.776
1-1/4" - 7	6', 12'	1	3.498
1-3/8" - 6	6', 12'	1	4.196
1-1/2" - 6	6', 12'	1	5.075
1-3/4" - 5	6', 12'	1	6.886
2" - 4-1/2	6', 12'	1	9.05
www.mockbee.com Sales@mockbee.com 1-513-621-3864			